

Your Abstract Submission Has Been Received

Click [here](#) to print this page now.

You have submitted the following abstract to AGU23. Receipt of this notice does not guarantee that your submission was free of errors.

Petrogenesis of the 3.51Ga komatiites from the Gorumahishani greenstone belt, Singhbhum Craton (eastern India)

Ratul Banerjee, Jadavpur University, Kolkata, India, Sisir Kanti Mondal, Jadavpur University, Kolkata (Calcutta), India, Xiaoyu Zhou, CRPG CNRS, Vandoeuvre-Les-Nancy, France and Laurie C Reisberg, CRPG CNRS, Vandoeuvre les Nancy, France

Abstract Text:

In the Archean Gorumahishani greenstone belt (~120 km) of the Singhbhum Craton, the komatiitic suite of rocks (~3.51Ga) is present at the lower part of the metamorphosed volcano-sedimentary sequence. The lower adcumulate zone (~28 m) of the komatiitic sequence is represented by meta-dunite whereas meta-peridotite is manifested in the spinifex zone (~200 m) that terminates with the komatiitic meta-basalt (~250 m). Serpentine, tremolite, chlorite, carbonate, hornblende, and epidote are the major minerals in the komatiites indicating a greenschist-amphibolite transition to amphibolite facies metamorphism. The modal% of chromite is higher in the spinifex zone than in the lower adcumulates. A gradual decrease in serpentine and an increase in tremolite and chlorite modal% is observed across the komatiitic sequence. Thus, bulk-rock geochemistry shows a decrease in Ni and MgO together with an increase in CaO, Al₂O₃, FeO_(total), TiO₂, Sc, Sr, and V from the lower to the upper part of the sequence. Pd/Ru and Pd/Ir show a negative relation with MgO and Cr which is due to the early removal of Ru and Ir by chromite from the komatiitic melt. Compositionally the komatiites are Ti-depleted in the western part and Al-depleted in the middle and eastern parts of the greenstone belt. A non-modal batch melting model shows that the Al-depleted komatiitic parental melt might be generated by ~27% partial melting of a rising mantle plume at the garnet peridotite stability field with ~15% garnet in the residue. The Ti-depleted komatiitic melt might be generated by ~45% partial melting of a depleted mantle peridotite of the same rising plume at the spinel peridotite stability field. The early Archean voluminous komatiitic magma of the Singhbhum Craton erupted in an intracontinental rift setting where the magma interacted with the primordial crust. High-temperature of the ascending komatiitic magma caused the melting of the primordial crust at different

depths and in different degrees that produced the parental melt of the contemporaneous (ca. 3.5-3.3 Ga) tonalite-trondhjemite-granodiorite-granite. The intracontinental rift basin gradually transformed into the ocean basin and a tectonic shift through the Meso to Late Archean produced the younger granite-greenstone association (ca. 3.2-2.8 Ga) within active continental margin settings.

Session Selection:

DI015. The Evolution of the Silicate Earth Throughout the Hadean

Submitter's E-mail Address:

ratul.jugeology@gmail.com

Abstract Title:

Petrogenesis of the 3.51Ga komatiites from the Gorumahishani greenstone belt, Singhbhum Craton (eastern India)

Requested Presentation Type:

Assigned by Committee (oral, poster, or eLightning)

Virtual Participation:

In-person

Recording Permission Given?

Yes

Previously Published?:

No

Abstract Payment:

Paid (waived)

I would not like to volunteer as an OSPA Reviewer.

First Presenting Author

Presenting Author

Ratul Banerjee

Primary Email: ratul.jugeology@gmail.com

Affiliation(s):

Jadavpur University
Kolkata (India)

Second Author

Sisir Kanti Mondal

Primary Email: sisir.mondal@gmail.com

Affiliation(s):

Jadavpur University

Kolkata (Calcutta) 700032 (India)

Fourth Author

Xiaoyu Zhou

Primary Email: zhouxiaoyu3028@163.com

Affiliation(s):

CRPG CNRS

Vandoeuvre-Les-Nancy (France)

Fourth Author

Laurie C Reisberg

Primary Email: reisberg@crpg.cnrs-nancy.fr

Affiliation(s):

CRPG CNRS

Vandoeuvre les Nancy 54501 (France)

If necessary, you can make changes to your abstract submission

To access your submission in the future, point your browser to: [User Portal](#)

Your Abstract ID# is: 1331776.

Any changes that you make will be reflected instantly in what is seen by the reviewers.

After the abstract proposal is submitted, you are not required to go through all submission steps to make edits. For example, click the "Authors" step in the Abstract Submission Control Panel to edit the Authors and then click save or submit.

When you have completed your submission, you may close this browser window or submit another abstract proposal: [Call for Abstracts](#).

[Tell us what you think of the abstract submission process](#)